EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3341	(713/155,168,182,183.ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:48
L2	115	recovery AND password AND database AND (713/155,168,182,183.ccls. | 726/2. ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:56
L3	6	file AND dump AND recovery AND password AND database AND (713/155, 168,182,183.ccls. | 726/2.ccls. | 380/59, 285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 10:57
L4	83	decrypt$3 AND encrypt$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
L5	35	temporary AND decrypt$3 AND encrypt$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
L6	83	(user | client) AND decrypt$3 AND encrypt$3 AND recovery AND password AND database AND (713/155,168,182,183. ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:06
L7	56	temporary AND decrypt$3 AND encrypt$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:12
L8	122	decrypt$3 AND encrypt$3 AND recovery AND password AND database AND (713/155,168,182,183.ccls. | 726/2.ccls. | 380/59,285.ccls.) AND (@pd<"20040408" | @ad<"20040408" | @prad<"20040408" | @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:13

L16	3	(murray.in. | mendonca.in.) AND recovery AND database AND password	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:19
L17	40	(murray.in. | mendonca.in.) AND ("713".clas. | "726".clas. | "380".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:20
L18	659	(murray.in. | mendonca.in.) AND recovery	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:20
L19	4	(murray.in. | mendonca.in.) AND (713/155, 168,182,183.ccls. | 726/2.ccls. | 380/59, 285.ccls.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
L21	16	(murray.in. | mendonca.in.) AND ("713".clas.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
L22	19242	(murray.in. | mendonca.in.)	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
L23	24	(murray.in. | mendonca.in.) AND recovery AND database	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/21 11:21
S1	299	(713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 08:49
S2	5	(dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:51

S3	199	(dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:52
S4	74	(sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:55
S5	120	(key OR public key OR private key) AND (authenticate OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:54
S6	134	(key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 14:25
S7	73	(key OR public$1key OR private$1key) AND (sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:56
S8	2	"5768373".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:09

EAST Search History

S9	2	"5699428".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:10
S10	138	(data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12
S11	22	key AND (public$1key OR private$1key) AND (data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12
S12	246	(key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:26
S13	157	file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:28

S14	159	file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:29
S15	89	(temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:30
S16	89	(momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	US-PGPUB	ADJ	ON	2007/05/10 15:48
S17	1	"7216110".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 15:24

S18	89	(momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	US-PGPUB	ADJ	ON	2007/05/10 15:48
S19	87	(momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:51
S20	87	(momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:57

S21	312	(momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:58
S22	267	(decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59

5/21/2008 12:55:36 PM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10821774_RecoveryAccessToSecureData_.wsp

Page 7

S23	266	(reading OR read OR parsing OR parsed OR parse) AND (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temp OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59
S24	262	(reading OR read OR parsing OR parsed OR parse OR analyze OR analyzed OR analyzing OR determine OR determined OR determining) AND (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temporary OR one$1time) AND file AND hash AND (key OR public$1key OR private$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign$1in OR sign$1on OR log$1in OR log$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 16:00
S25	7209	data recovery AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:18
S26	701	file AND database AND data recovery AND (@pd< "20040408" or @ad< "20040408" or @prad< "20040408" or @rlad< "20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19

S27	51	file AND database AND data recovery AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19
S28	2	"6185308".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/11 09:42
S29	33	(PKI OR (private key AND public key)) AND hash$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 08:58
S30	5	recovery AND (PKI OR (private key AND public key)) AND hash$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 09:00
S31	6	recovery AND hash$3 AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/09 11:03
S32	32	data recovery AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726". clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:36
S33	5	password recovery AND hash AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:37
S34	9	password recovery AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:40
S35	0	database password recovery AND ("713". clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
S36	34	database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41

S37	17	hash AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
S38	19	hash$3 AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:41
S39	9	username AND hash$3 AND database password AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S40	146	key AND password AND username AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S41	101	public key AND password AND username AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S42	72	private key AND public key AND password AND username AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:43
S43	1	dump file AND private key AND public key AND password AND username AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 13:46
S44	26	recover$3 AND private key AND public key AND password AND username AND hash$3 AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 14:16
S45	5	recover$3 AND private key AND public key AND password AND username AND hash$3 AND database key AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:34

EAST Search History

S46	210	(one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:38
S47	81	temporary AND (one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:38
S48	79	user AND temporary AND (one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:44
S49	79	access AND user AND temporary AND (one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:44
S50	68	restrict$3 AND access AND user AND temporary AND (one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:49
S51	68	restrict$3 AND access AND user AND temporary AND (single use key OR single use password OR one$1time key OR one time key OR one time password OR one$1time password OR one$1time access OR one time access) AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:50

5/21/2008 12:55:36 PM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10821774_RecoveryAccessToSecureData_.wsp

Page 11

S52	9	restrict$3 AND access AND user AND temporary password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 09:57
S53	4	access control AND user AND temporary password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08
S54	96	generat$3 AND user AND one time password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08
S55	25	generat$3 AND username AND one time password AND database AND ("713".clas. OR "380".clas. OR "726".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 10:08
S56	4	"5592553".pn. OR "5418854".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/14 16:37